

**BRAKE & CLUTCH CLEANER** 

Issued: 22/07/2005

Revision No: 1

Page 1

### 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: BRAKE & CLUTCH CLEANER

**Product code:** M01998

Company name: Image Chemical Products Ltd

3 Barnfield Way

Altham Business Park

Altham
Accrington
Lancashire
BB5 5YT

Tel: +44 (0)1282 777200

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: LOW BOILING POINT MODIFIED NAPHTHA - NAPHTHA (PETROLEUM),

SOLVENT-REFINED LIGHT >80% EINECS: 265-086-6 CAS: 64741-84-0 [F+] R12; [Xi] R38; [N] R51/53; [Xn] R65

### 3. HAZARDS IDENTIFICATION

Main hazards: Highly flammable. Irritating to skin. Toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment. Harmful: may cause lung damage if swallowed.

Other hazards: In use, may form flammable / explosive vapour-air mixture.

### 4. FIRST AID MEASURES (SYMPTOMS)

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may

occur. There may be vomiting.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

## 4. FIRST AID MEASURES (ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the

affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a

doctor.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to

drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

**BRAKE & CLUTCH CLEANER** 

Page 2

#### 5. FIRE-FIGHTING MEASURES

Extinguishing media: Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool

containers.

Exposure hazards: Highly flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture. Vapour

may travel considerable distance to source of ignition and flash back.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin

and eyes.

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from

downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by

an appropriate method. Do not use equipment in clean-up procedure which may produce

sparks.

### 7. HANDLING AND STORAGE

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do

not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is

forbidden. Use non-sparking tools.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of

ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and

electrical equipment are not a source of ignition.

Suitable packaging: Must only be kept in original packaging.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not

a source of ignition.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid
Colour: Colourless

Odour: Characteristic odour

#### Issued: 22/07/2005

## **SAFETY DATA SHEET**

BRAKE & CLUTCH CLEANER

Page 3

**Evaporation rate:** Fast

Solubility in water: Not miscible

Also soluble in: Most organic solvents.

Viscosity: Non-viscous

**Boiling point/range°C:** 99-121

Flammability limits %: lower: 0.9

**upper:** 8.0

Flash point°C: -2

Relative density: 0.727 @ 15deg C

## 10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions. Stable at room temperature.

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

**Materials to avoid:** Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes.

#### 11. TOXICOLOGICAL INFORMATION

**Routes of exposure:** Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

## 12. ECOLOGICAL INFORMATION

Mobility: Readily absorbed into soil.

Persistence and degradability: Biodegradable.

Bioaccumulative potential: No bioaccumulation potential.

Other adverse effects: Negligible ecotoxicity.

## 13. DISPOSAL CONSIDERATIONS

**NB:** The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

## 14. TRANSPORT INFORMATION

#### ADR / RID

**UN no:** 1268 **ADR Class:** 3

Packing group: II Classification code: F1

Shipping name: PETROLEUM DISTILLATES, N.O.S. (LOW BOILING POINT MODIFIED NAPHTHA -

NAPHTHA (PETROLEUM), SOLVENT-REFINED LIGHT)

Labelling: 3 Hazard ID no: 33



BRAKE & CLUTCH CLEANER

Page 4

#### IMDG / IMO

UN no: 1268 Class: 3

Packing group: II EmS: F-E,S-E

Marine pollutant: . Labelling: 3

## IATA / ICAO

UN no: 1268 Class: 3

Packing group: II Packing instructions: 305(P&CA); 307(CAO)

Labelling: 3

## 15. REGULATORY INFORMATION

Hazard symbols: Highly flammable.

Dangerous for the environment.

Harmful.







**Risk phrases:** R11: Highly flammable.

R38: Irritating to skin.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R65: Harmful: may cause lung damage if swallowed.

**Safety phrases:** S23: Do not breathe ...

S29: Do not empty into drains.

S46: If swallowed, seek medical advice immediately and show this container or label.

S61: Avoid release to the environment. Refer to special instructions  $\slash$  safety data sheets.

S2: KEEP OUT OF REACH OF CHILDREN.

Note: The regulatory information given above only indicates the principal regulations specifically

applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all

applicable national, international and local regulations or provisions.

## 16. OTHER INFORMATION

Risk phrases used in s.2: R12: Extremely flammable.

R38: Irritating to skin.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R65: Harmful: may cause lung damage if swallowed.

# BRAKE & CLUTCH CLEANER

Page 5

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.