



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 22/02/2021 Version: 11.2

Generated: 02/03/2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture Trade name SELSPEED

UFI : Y8X3-H05J-S00J-NRG9

Product code F116 Type of product : Detergent

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec For professional use only Use of the substance/mixture : Floor cleaner / floor polish

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

**SELDEN RESEARCH LIMITED** 

STADEN LANE BUXTON DERBYSHIRE SK17 9RZ UNITED KINGDOM

Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk

WATERMOLEN 13 6229 PM MAASTRICHT NEDERLAND

Tel: +31 (0) 43 363 42 89

SELDEN EUROPE B.V.

# 1.4. Emergency telephone number

Mon to Fri 8.30am to 5.00pm - 01298 26226 Tel: +31 (0) 43 363 42 89

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1, Sub-Category 1B H314 Serious eye damage/eye irritation, Category 1 H318 Specific target organ toxicity — Single exposure, Category 3, Narcosis H336

Full text of H statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

# 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05 GHS07

Signal word (CLP) : Danger

: 2-aminoethanol; ethanolamine Contains

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

H336 - May cause drowsiness or dizziness.

Document generated @ 02/03/2022 16:13:09 Page 1 of 10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)

: P261 - Avoid breathing spray.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear eye protection, protective gloves, protective clothing.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P315 - Get immediate medical advice/attention.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

### 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-aminoethanol; ethanolamine substance with national workplace exposure limit(s) (IE, GB); substance with a Community workplace exposure limit	(CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 (REACH-no) 01-2119486455-28	10 – 15	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:vapour), H332 Skin Corr. 1B, H314
2-(2-ethoxyethoxy)ethanol (Ethyldiglycol) [DEGEE]	(CAS-No.) 111-90-0 (EC-No.) 203-919-7 (REACH-no) 01-2119475105-42	5 – 10	Eye Irrit. 2, H319
benzyl alcohol	(CAS-No.) 100-51-6 (EC-No.) 202-859-9 (EC Index-No.) 603-057-00-5 (REACH-no) 01-2119492630-38	5 – 10	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302
Sodium laurylether sulphate	(CAS-No.) 68891-38-3 (EC-No.) 500-234-8 (REACH-no) 01-2119488639-16	1 – 5	Eye Dam. 1, H318 Skin Irrit. 2, H315

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
2-aminoethanol; ethanolamine	(CAS-No.) 141-43-5 (EC-No.) 205-483-3 (EC Index-No.) 603-030-00-8 (REACH-no) 01-2119486455-28	( 5 ≤C ≤ 100) STOT SE 3, H335	
Sodium laurylether sulphate	(CAS-No.) 68891-38-3 (EC-No.) 500-234-8 (REACH-no) 01-2119488639-16	( 5 ≤C < 10) Eye Irrit. 2, H319 ( 10 ≤C < 100) Eye Dam. 1, H318	

Full text of H-statements: see section 16

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it

before reuse. Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Corrosive vapours.

#### 5.3. Advice for firefighters

No additional information available

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

## 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

Document generated @ 02/03/2022 16:13:09 Page 3 of 10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product.

# 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.

Storage conditions : Keep container closed when not in use.

Incompatible products : Oxidizing agent. Strong acids. Special rules on packaging : Keep only in original container.

# 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

2-aminoethanol; ethanolamine (141-43-5)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	2-Aminoethanol	
IOEL TWA	2.5 mg/m³	
IOEL TWA [ppm]	1 ppm	
IOEL STEL	7.6 mg/m³	
IOEL STEL [ppm]	3 ppm	
Notes	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
Ireland - Occupational Exposure Limits		
Local name	2-Aminoethanol [Ethanolamine]	
OEL TWA [1]	2.5 mg/m³	
OEL TWA [2]	1 ppm	
OEL STEL	7.6 mg/m³	
OEL STEL [ppm]	3 ppm	
Notes (IE)	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)	
Regulatory reference	Chemical Agents Code of Practice 2020	
United Kingdom - Occupational Exposure Limits		
Local name	2-Aminoethanol	
WEL TWA (OEL TWA) [1]	2.5 mg/m³	
WEL TWA (OEL TWA) [2]	1 ppm	
WEL STEL (OEL STEL)	7.6 mg/m³	
WEL STEL (OEL STEL) [ppm]	3 ppm	
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	

Document generated @ 02/03/2022 16:13:09 Page 4 of 10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 2-aminoethanol; ethanolamine (141-43-5)

Regulatory reference EH40/2005 (Fourth edition, 2020). HSE

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

### Personal protective equipment symbol(s):









### 8.2.2.1. Eye and face protection

## Eye protection:

Safety glasses. EN 166

### 8.2.2.2. Skin protection

# Skin and body protection:

Wear suitable protective clothing

# Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent). Nitrile rubber gloves

#### Other skin protection

Materials for protective clothing:

Safety boots. PICM008

### 8.2.2.3. Respiratory protection

### Respiratory protection:

Not required for normal conditions of use

# 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: LiquidAppearance: Liquid.Colour: Blue.

Odour : characteristic.
Odour threshold : No data available

pH : 12.5

Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available

Boiling point :  $\geq 100 \, ^{\circ}\text{C}$ 

Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available

Relative density : 1.016

Solubility : Soluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

Explosive limits : No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions of use.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# 10.5. Incompatible materials

Acids.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified

Document generated @ 02/03/2022 16:13:09 Page 6 of 10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute toxicity (inhalation) : Not classified

Skin corrosion/irritation : Causes severe skin burns.

pH: 12.5

Serious eye damage/irritation : Causes serious eye damage.

pH: 12.5 : Not classified

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

# SECTION 12: Ecological information

## 12.1. Toxicity

Hazardous to the aquatic environment, short-term

acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

: Not classified

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

No additional information available

# SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

# 14.1 UN number

UN-No. (ADR) : UN 1760 UN-No. (IMDG) : UN 1760

Document generated @ 02/03/2022 16:13:09 Page 7 of 10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

UN-No. (IATA) : UN 1760

# 14.2. UN proper shipping name

Proper Shipping Name (ADR) : CORROSIVE LIQUID, N.O.S. Proper Shipping Name (IMDG) : CORROSIVE LIQUID, N.O.S.

Proper Shipping Name (IATA) : Corrosive liquid, n.o.s.

Transport document description (ADR) : UN 1760 CORROSIVE LIQUID, N.O.S. (2-AMINOETHANOL), 8, III, (E)
Transport document description (IMDG) : UN 1760 CORROSIVE LIQUID, N.O.S. (2-AMINOETHANOL), 8, III

Transport document description (IATA) : UN 1760 Corrosive liquid, n.o.s., 8, III

### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



#### IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



#### IATA

Transport hazard class(es) (IATA) : 8
Danger labels (IATA) : 8



### 14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III

### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

# 14.6. Special precautions for user

# Overland transport

Classification code (ADR) : C9
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions : TP1, TP28

(ADR)

Tank code (ADR) : L4BN

Document generated @ 02/03/2022 16:13:09

Page 8 of 10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80

Orange plates

80 1760

Tunnel restriction code (ADR) : E
EAC code : 2X
APP code : B

Transport by sea

Special provisions (IMDG): 223, 274Limited quantities (IMDG): 5 LExcepted quantities (IMDG): E1Packing instructions (IMDG): P001, LP01IBC packing instructions (IMDG): IBC03

Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP1, TP28
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y841 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 852 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 856 CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3 ERG code (IATA) : 8L

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code : Not applicable.

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Detergent Regulation (648/2004/EC): Labelling of contents:		
Component	%	
anionic surfactants	<5%	
METHYLCHLOROISOTHIAZOLINONE		

Document generated @ 02/03/2022 16:13:09 Page 9 of 10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 15.1.2. National regulations

#### **United Kingdom**

**British National Regulations** 

: Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

Detergent Regulation (648/2004/EC).

# 15.2. Chemical safety assessment

No additional information available

### **SECTION 16: Other information**

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Skin Corr. 1B	H314	Calculation method	
Eye Dam. 1	H318	Calculation method	
STOT SE 3	H336	Calculation method	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Document generated @ 02/03/2022 16:13:09 Page 10 of 10